

SUTTER, CALIFORNIA 95982-0710

PHONE (530) 755-1733

FAX (530) 755-1777

## **REGULAR MEETING**

# Monday December 5, 2016 6:30 P.M. -MINUTES-

DIRECTORS PRESENT

> David Williams, President Annette Babb, 1<sup>st</sup> Vice President Jim Barringer, Director Joel Farias, Jr., Director Larry Crabtree, Director - Absent

Geri Goetzinger, Board Secretary David Swartz, District Engineer

CALL TO ORDER

President, David Williams called the meeting to order at 6:30pm, leading the Pledge of Allegiance to the Flag.

## **PUBLIC PARTICIPATION**

None

## **PRESENTATION**

A. David Swartz, engineer discussed his recommendations
To correct arsenic problem at Well 2-B. He feels the best scenario
to hire Besst, Inc. to have them test Well 2-B for arsenic
at different water levels to hit a strata or aquifer
with a lower arsenic level. Mr. Swartz will set up and appointment
for Geri Goetzinger, himself and Besst, Inc. The Board asked Mr. Swartz to
contact Besst, Inc. retain a quote for their approval at next meeting
(January 9, 2017).



PHONE (530) 755-1733 CONSENT CALENDAR FAX (530) 755-1777

- A. November 2016 Regular Meeting Minutes
- B. November 2016 Expenditures
- C. November 2016 Operators Report

On motion of President Williams seconded by Director Barringer and approved by those present, the board approved the consent calendar. (4 ayes)

### MANAGERS REPORT

**A.** Tomlinson Roofing repaired roof leaks at office, presented a quote to have The roof completely restored. \$5,000.00. Board as that three bids should be Retained for approval.

B. Ms. Goetzinger meet with AdEdge 11/10/16 to discuss Well 2-B arsenic A quote for arsenic removal was given \$332,000. To install equipment and Backwash recycle system at \$45,500. And then at least an annual expense Of \$100,000.

### DISCUSSION AND ACTION ITEMS

None

A. ADJOURNMENT In Memory of:

Clara Johnson James Underwood Brian Baldridge

Meeting adjourned at 7:05 pm

DATE:	SIGNATURE:	
	Geri Goetzinger/Board Secretary	